

Page: 1/11

....

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

| 1 Identification |
|---|
| Product identifier |
| Trade name: 585 Slow Cure Polyurea Gloss Product code: 120716 |
| • Other means of identification: Aliphatic PolyUrea/Aspartic High Solids Roll-Down Coating |
| Recommended use and restriction on use Recommended use: High Solids Roll-Down Coating Restrictions on use: See Sections 8 and 10 for further information. |
| Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: |
| Concrete Restoration Products, Inc 2626 Lavery Ct 301 Newbury Park Ca 91320 855-846-8277 |
| Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) |
| 2 Hazard(s) identification |
| Classification of the substance or mixture Acute Tox. 4 H332 Harmful if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. |
| Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: |
| |
| GHS07 |
| |

| | (Cont'd. of page |
|-----------|---|
| P280 | Wear protective gloves/protective clothing/eye protection. |
| | 2 If on skin: Wash with plenty of soap and water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P312 | Call a poison center/doctor if you feel unwell. |
| P333+P313 | 3 If skin irritation or rash occurs: Get medical advice/attention. |
| P363 | Wash contaminated clothing before reuse. |
| P403+P23 | 3 Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/internation regulations. |

3 Composition/information on ingredients

· Chemical characterization: Mixtures

| 28182-81-2 | HDI oligomers, isocyanurate | 60-80% |
|------------|---|--------|
| | Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335 | |
| 98-56-6 | 4-chloro-a,a,a-trifluorotoluene | 20-40% |
| | Flam. Liq. 3, H226 Skin Sens. 1B, H317 | |
| 822-06-0 | hexamethylene-di-isocyanate Acute Tox. 3, H311; Acute Tox. 1, H330 Resp. Sens. 1, H334 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 | <0.5% |

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Do not pull solidified product away from the skin. Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

(Cont'd. on page 3)

Trade name: 585 Polyurea Slow Cure Gloss

(Cont'd. of page 2) Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Allergic reactions Slight irritant effect on skin and mucous membranes. Slight irritant effect on eyes. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Vomiting. Diarrhea. Disorientation Danger: Harmful if inhaled. Danger of impaired breathing. Danger of disturbed cardiac rhythm. Danger of pneumonia. May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Contains HDI oligomers, isocyanurate, hexamethylene-di-isocyanate, 4-chloro- α , α , α -trifluorotoluene. May produce an allergic reaction. Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray. Water fog / haze Foam Fire-extinguishing powder

Carbon dioxide

Gaseous extinguishing agents

- For safety reasons unsuitable extinguishing agents: Water spray
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Page: 4/11

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Trade name: 585 Polyurea Slow Cure Gloss

(Cont'd. of page 3)

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Use personal protective equipment as required.

Keep people at a distance and stay upwind.

- Environmental precautions Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
- Methods and material for containment and cleaning up Allow to solidify. Pick up mechanically. Send for recovery or disposal in suitable receptacles.
- Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas. Open and handle receptacle with care. Avoid breathing mist, vapors, or spray.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- [•] Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.

Do not store together with acids.

Store away from oxidizing agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection • Control parameters • Components with limit values that require monitoring at the workplace: 822-06-0 hexamethylene-di-isocyanate REL (USA) Long-term value: 0.035 mg/m³, 0.005 ppm Ceiling limit value: 0.14* mg/m³, 0.02* ppm *10-min (Cont'd. on page 5)

| TLV (USA) | Cont'd. of page (Cont'd. of page (Cont'd. of page (Cont'd. of page) |
|---|---|
| (, | BEI |
| EL (Canada) | Long-term value: 0.005 ppm |
| . , | Ceiling limit value: 0.01 ppm |
| | S |
| EV (Canada) | Long-term value: 0.005 ppm |
| | Ceiling limit value: 0.02 ppm |
| LMPE (Mexico) | Long-term value: 0.005 ppm |
| Exposure cor | itrols |
| Personal prote | ctive equipment: |
| | tive and hygienic measures: |
| | utionary measures for handling chemicals should be followed. |
| | foodstuffs, beverages and feed. |
| | nove all soiled and contaminated clothing. uses / fumes / aerosols. |
| | ith the eyes and skin. |
| | fore breaks and at the end of work. |
| · Engineering co | ntrols: Use only outdoors or in a well-ventilated area. |
| · Breathing equi | |
| | ned Organic Vapor and Particulate Respirator is recommended for use during sing activities. |
| Protection of h | ands: |
| Protect | ive gloves |
| The glove mater | rial has to be impermeable and resistant to the product/ the substance/ the preparation. |
| Safety (| plasses |
| Limitation and | n: Protective work clothing d supervision of exposure into the environment the environment. |
| | I chamical proportion |
| or hysical and | I chemical properties |
| | n basic physical and chemical properties |
| Appearance: Form: | Viscous liquid. |
| Color: | Light yellow |
| | Mild |
| · Odor: | |

Not determined.

- · Odor:
- · Odor threshold:

(Cont'd. on page 6)

Trade name: 585 Polyurea Slow Cure Gloss (Cont'd. of page 5) pH-value: Not determined. • Melting point/Melting range: Not determined. · Boiling point/Boiling range: >150 °C (>302 °F) >160 °C (>320 °F) · Flash point: · Flammability (solid, gaseous): Not applicable. · Auto-ignition temperature: Not determined. Not determined. · Decomposition temperature: · Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Not determined. Upper: Not determined. · Oxidizing properties: Non-oxidizing. · Vapor pressure: Not determined. · Density: Relative density at 25 °C (77 °F): 1.13 g/cm³ (9.43 lbs/gal) Vapor density: Not determined. **Evaporation rate:** Not determined. · Solubility in / Miscibility with Water: Slowly reacts with water. Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. · Viscosity **Dynamic:** 800 cPs **Kinematic:** Not determined. · Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions Reacts with oxidizing agents.
 Reacts with strong acids.
 Reacts with water.
 Contact with acids releases toxic gases.
- **Conditions to avoid** Avoid acids. Store away from oxidizing agents. Protect from humidity and water.

Incompatible materials

| Strong aci | de | | (Cont'd. of pag |
|---|---|--|-----------------|
| Oxidizing | | | |
| - | - | mposition products | |
| | | and carbon dioxide | |
| Nitrogen o | | Dx) prussic acid) | |
| Hydrogen | | | |
| Chlorine | | · · · · | |
| Hydrogen | fluoride | | |
| Toxicolo | ogical i | nformation | |
| Informat | | oxicological effects | |
| · LD/LC50 | values th | at are relevant for classification: | |
| 28182-81- | 2 HDI oli | gomers, isocyanurate | |
| Oral | LD50 | >5000 mg/kg (rat) | |
| Dermal | LD50 | >5000 mg/kg (rabbit) | |
| 822-06-0 | nexametl | nylene-di-isocyanate | |
| Oral | LD50 | 959 mg/kg (rat) | |
| | LD50 | 593 mg/kg (rat) | |
| | | 124 mg/l (rat) | |
| On the ey Sensitizat | in: Slight e: Slight i ion: HDI oligor | irritant effect on skin and mucous membranes. irritant effect on eyes. mers, isocyanurate, hexamethylene-di-isocyanate, 4-chloro-α,α,α-trifle | uorotoluene. I |
| • | | Il Agency for Research on Cancer): | |
| None of th | e ingredi | ents are listed. | |
| · NTP (Nati | onal Tox | icology Program): | |
| | | ents are listed. | |
| · OSHA-Ca | (Occupa | ational Safety & Health Administration): | |
| None of th | e ingredi | ents are listed. | |
| • Probable Ingestion. Inhalation. Eye contac Skin conta | ct. | of exposure: | |
| Acute effe Repeated | ects (acu dose to: | te toxicity, irritation and corrosivity): Harmful if inhaled. xicity: No relevant information available. nicity: Based on available data, the classification criteria are not met. | |

(Cont'd. on page 8)

 Trade name: 585 Polyurea Slow Cure Gloss

 • STOT-repeated exposure: Based on available data, the classification criteria are not met.

 • Aspiration hazard: Based on available data, the classification criteria are not met.

 12 Ecological information

[·] Toxicity

· Aquatic toxicity

Toxic to aquatic life with long lasting effects.

98-56-6 4-chloro-a,a,a-trifluorotoluene

EC50 (dynamic) 3.0 mg/kg (zebra fish)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- [·] Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

| 14 Transport information | |
|---------------------------------------|--|
| · UN-Number · DOT, ADR, IMDG, IATA | UN3082 |
| · UN proper shipping name | |
| DOT | Environmentally hazardous substances, liquid, n.o.s. (Chlorobenzotrifluorides) |
| · ADR, IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLOROBENZOTRIFLUORIDES) |
| | Environmentally hazardous substance, liquid, n.o.s. (Chlorobenzotrifluorides) |
| | (Childoberizonindondes) |

| rade name: 585 Polyurea Slow Cure Gloss | |
|---|---|
| | (Cont'd. of page 8) |
| Transport hazard class(es) | |
| · DOT, IMDG, IATA | |
| | |
| · Class · Label | 9 Miscellaneous dangerous substances and articles 9 |
| ADR | |
| | |
| · Class · Label | 9 (M6) Miscellaneous dangerous substances and articles 9 |
| | 5 |
| Packing group DOT, ADR, IMDG, IATA | III |
| · Environmental hazards | Product contains environmentally hazardous substances: 4-chloro-α,α,α-trifluorotoluene |
| · Marine pollutant: | Yes (DOT) Symbol (fish and tree) |
| • Special precautions for user | Warning: Miscellaneous dangerous substances and articles |
| Danger code (Kemler): | 90 |
| · EMS Number: · Segregation groups | F-A,S-F Liquid halogenated hydrocarbons |
| • Transport in bulk according to Annex | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197 |
| DOT | |
| · Remarks: | Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid. |

Trade name: 585 Polyurea Slow Cure Gloss

(Cont'd. of page 9)

| m Ur | afety, health and environmental regulations/legislation specific for the substance ixture nited States (USA) ARA |
|---------|---|
| | ection 302 (extremely hazardous substances): |
| No | one of the ingredients are listed. |
| | ection 355 (extremely hazardous substances): |
| No | one of the ingredients are listed. |
| | ection 313 (Specific toxic chemical listings): |
| No | one of the ingredients are listed. |
| Т | SCA (Toxic Substances Control Act) |
| | I ingredients are listed. |
| | oposition 65 (California) |
| | nemicals known to cause cancer: |
| | one of the ingredients are listed. |
| | nemicals known to cause reproductive toxicity for females: |
| No | one of the ingredients are listed. |
| | nemicals known to cause reproductive toxicity for males: |
| No | one of the ingredients are listed. |
| | nemicals known to cause developmental toxicity: |
| | one of the ingredients are listed. |
| | arcinogenic categories |
| | PA (Environmental Protection Agency): |
| | one of the ingredients are listed. |
| | RC (International Agency for Research on Cancer): |
| No | one of the ingredients are listed. |
| | OSH-Ca (National Institute for Occupational Safety and Health): |
| No | one of the ingredients are listed. |
| Ca | anadian Domestic Substances List (DSL): |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision November 15, 2017 / -

· Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

Trade name: 585 Polyurea Slow Cure Gloss (Cont'd. of page 10) DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 1: Acute toxicity – Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com